

Low VOC Multi-Purpose Spray Adhesive



- Product Size:** 12 oz Net Wt; 17 FL OZ
- Spray Pattern:** Lace/Web
- Color:** Light Amber
- % Solids:** 22%
- Application Temp:** 40 to 110 °F (4 to 43 °C)
- Bonding Time:** 1 minute to one hour
- Evaporation Rate:** 30-45 seconds
- Coverage Area:** Varies
- VOC Content:** <40% by weight

Applications

- Bonding carpets
- Securing insulation/liner materials to duct work
- Securing labels
- Suitable for permanent or temporary bonds
- Bonding fabric, insulation, plastic films, felt, rubber leather, cork, paper, cardboard, metal, wood
- Excellent for laminating urethane foam to a variety of substrates

Features

- Rubber Based
- Low VOC Content
- Wide Finger Pad Nozzle

Benefits

- Fast skin, fast grab, low soak-in
- Good UV, moisture, and oxidation resistance
- Can contribute toward satisfying EQ Credit 4.1 (Low Emitting Materials) under LEED®
- Provides increased comfort over extended use

Application Instructions

- Shake well before applying. Spray an even coat from a distance of 6-8 inches.
- For permanent bonds, spray both surfaces. Allow 1-2 minutes for tack to develop. Apply firm pressure.
- For temporary bonds, apply a light, even coat to one surface; allow tack to develop. Apply firm pressure.
- When finished spraying, turn can upside down and spray for 2 seconds to prevent nozzle from clogging.

Caution: Extremely Flammable. Please review all safety instructions on the product package prior to use.

Recommended Storage Conditions: 60-80 °F at 40-60% RH

Standard Shelf Life (at 25 °C): 24 months from date of manufacture.

The information presented herein was prepared at BERRY GLOBAL (25 Forge Parkway Franklin, MA 02038) by qualified technical personnel. To BERRY's knowledge it is true and accurate. However, the information and recommendations are furnished for these products with the understanding that the purchaser or user, as the case may be, will independently determine that the product is suitable for the intended use, and that such use complies with all applicable federal, state and local laws and regulations. The data are typical values submitted only for the user's information and consideration, and do not constitute a warranty of any kind (including but not limited to a warranty of merchantability or of fitness for a particular purpose), or a representation for which BERRY assumes any legal responsibility.