

TUBES





PIRLO TUBES

Digitally printed laminate tubes:

- photo-realistic print quality
- 35-mm dia. / 40mm / 50mm
- ABL and PBL
- 360° seamless printing – butt-welded
- alternatively – overlapping welded
- cost advantages in prepress

Surface finishing:

- film lamination, matte or gloss
- alternatively painted, matte or gloss

Optional finishing:

- hot stamping
- spot coating
- alternative printing processes
(Rexo, offset, screen printing)



YOUR BENEFITS

- high-gloss surface for glossy lamination
- soft-touch surface for matte lamination
- print is fully protected by lamination
 - scratch-resistant
 - prevention of paint or varnish transfer onto the side that comes in contact with the product
- 360° print image
- almost invisible longitudinal seam

DIMENSIONS

STANDARD DIMENSIONS

Volume [ml]	Diameter of the tube [mm]		
	35	40	50
	Recommended tube length [mm]		
30	70		
40	80		
50	90		
60	100	80	
75	120	100	
80	125	110	100
100	150	125	110
125	175	145	120
150		165	130
200			160
250			185
275			200

The minimum height for our tubes is 70 mm; the maximum height is 200 mm
- we are flexible for anything in between.



LAMINATES


Laminate	Material thickness	Colour
ABL	250/12 μm	silver or white
	275/20 μm	silver or white
	275/30 μm	silver or white
	350/12 μm	silver or white
	390/9 μm	silver
PBL	300/15 μm	white
	300/25 μm	transparent or white
	350/25 μm	transparent or white
	323/23 μm	silver
	263/23 μm	silver
	250/15 μm	white

LONGITUDINAL SEAM WELDING

Butt-welded seam:

- butt-welded with welded PE reinforcing strip inside the tube
- 360° printing possible
- standard film laminated


Butt-welded



Overlapped seam:

- unprinted edge lap
- overlapped seam is more cost effective
- standard painted

Overlapped





CAPS

FLIPTOP

Diameter [mm]	Opening diameter [mm]	Closure design
35	1,5 / 3 / 5	Classic Softline
40	1,5 / 3 / 5	Classic Softline
50	1,5 / 3 / 5	Classic Softline

- standard versions:
glossy white or transparent matte
- coloured caps from 10,000 caps per colour possible
- originality seals / caps on request



M 15 metric thread
 S 13 buttress thread
 TR 22 trapezoidal thread




CAPS

SCREW CAPS

Standard design: white

Diameter [mm]	Thread	Shoulder opening diameter [mm]	Originality seal	Closure design
35	S 13	2,95 7,95	possible	smooth glossy smooth matte ribbed
	M 15	3,5 7,2	possible	smooth glossy smooth matte
40	M 15	3,85 7,85	possible	smooth glossy
50	TR 22 - Pin Point	3,05	not possible	Smooth glossy
	TR 22	10	possible	smooth glossy ribbed




pirlo
TUBES

Pirlo Tubes GmbH, Hugo-Petters-Strasse 8-14, A-6330 Kufstein, Austria

Tel.: +49 5372 649 230 Fax: +43 5372 649 23 919

www.pirlo.com E-mail: office@pirlo.com

A member of the  Group