




Ergopac

Ergopac is built around an ergonomic idea that optimizes the packaging material all the way from manufacturing to final usage. The key component in the Ergopac system is a pail provided with a sealed lid that is easy to open and re-close. Ergopac is available in volumes up to 32 liters fitted into modules designed for EU pallets. The pail can also be sealed with a membrane that prolongs the life of sensitive contents.

Pail and lid are made out of polypropylene, which is treated with an antistatic agent and approved according to food regulations. The production is highly automated and protected in order to comply with quality and hygienic demands. As an option the pail and lid can be delivered as one unit.

Name	Diameter mm.	Height mm.	Weight g.
Ergopac 1,5 l. ø160	160	110	59
Ergopac 2,1 l. ø160	160	148	74
Ergopac 2,7 l. ø193	192,5	136	96
Ergopac 3,2 l. ø193	192,5	157,5	115
Ergopac 4,7 l. ø223	223	160	160
Ergopac 5,5 l. ø223	223	192	165
Ergopac 11,0 l. ø297	297	202	280
Ergopac 11,6 l. ø297	297	212	310
Ergopac 12,0 l. ø297	297	223	320
Ergopac 14,1 l. ø297	297	257	440
Ergopac 16,0 l. ø297	297	294	440
Ergopac 21,1 l. ø297	297	393	630
Ergopac 32,0 l. ø378	380	391	980

Ergopac 1,5 l. ø160



Product information

Pail

Name	Diameter mm.	Height mm.	Weight g.	Volume (brimful) l.	Handle (plastic) g.	Decoration	Unit/layer (pallet)
Ergopac 1,5 l. ø160	160	110	59	1,7	5	Offset	38

Lid

Variant	Diameter mm.	Weight g.	Height (mounted) mm.	Stack height (mounted) mm.	Volume under lid l.
Ergopac ø160 L	ø161	18	111	103	1,55

Delivery packaging


Delivery packaging	Quantity	Del. height mm.
Integrated pallet (pail+lid)	832	1200
Pail on pallet (1200x800)	1064	1200
Lid in container on pallet (1200x800)	2584	645

Information

Ergopac is built around an ergonomic idea that optimizes the packaging material all the way from manufacturing to final usage. The key component in the Ergopac system is a pail provided with a sealed lid that is easy to open and re-close. The sealed lid assures that the content of the pail stays fresh and untouched. If the seal is broken it will leave a clear visible signage. Ergopac is available in volumes up to 32 liters fitted into modules designed for EU pallets.

emballator

Ergopac 2,1 l. ø160



Product information

Pail

Name	Diameter mm.	Height mm.	Weight g.	Volume (brimful) l.	Handle (plastic) g.	Decoration	Unit/layer (pallet)
Ergopac 2,1 l. ø160	160	148	74	2,25	5	Offset	38

Lid

Variant	Diameter mm.	Weight g.	Height (mounted) mm.	Stack height (mounted) mm.	Volume under lid l.
Ergopac ø160 L	161	18	149	141	2,1

Delivery packaging


Delivery packaging	Quantity	Del. height mm.
Integrated pallet (pail+lid)	832	1200
Pail on pallet (1200x800)	836	1200
Lid in container on pallet (1200x800)	2584	645

Information

Ergopac is built around an ergonomic idea that optimizes the packaging material all the way from manufacturing to final usage. The key component in the Ergopac system is a pail provided with a sealed lid that is easy to open and re-close. The sealed lid assures that the content of the pail stays fresh and untouched. If the seal is broken it will leave a clear visible signage. Ergopac is available in volumes up to 32 liters fitted into modules designed for EU pallets.

emballator

Ergopac 2,7 l. ø193



Product information

Pail

Name	Diameter mm.	Height mm.	Weight g.	Volume (brimful) l.	Handle (iron) g.	Handle (plastic) g.	Decoration	Unit/layer (pallet)
Ergopac 2,7 l. ø193	192,5	136	96	3,0	18	5	Offset	24

Lid

Variant	Diameter mm.	Weight g.	Height (mounted) mm.	Stack height (mounted) mm.	Volume under lid l.
Ergopac ø193 E	198	31	137	126	2,7
Ergopac ø193 L	198	30	137	139	2,7
Ergopac ø193 M	198	35	147,5	140	3,0

Delivery packaging


Delivery packaging	Quantity	Del. height mm.
Integrated pallet (pail+lid)	576	1200
Pail on pallet (1200x800)	720	1200
Lid (E, M) in container on pallet (1200x800)	1632	730
Lid (L) in container on pallet (1200x800)	1632	645

Information

Ergopac is built around an ergonomic idea that optimizes the packaging material all the way from manufacturing to final usage. The key component in the Ergopac system is a pail provided with a sealed lid that is easy to open and re-close. The sealed lid assures that the content of the pail stays fresh and untouched. If the seal is broken it will leave a clear visible signage. Ergopac is available in volumes up to 32 liters fitted into modules designed for EU pallets.

emballator

Ergopac 3,2 l. ø193



Product information

Pail

Name	Diameter mm.	Height mm.	Weight g.	Volume (brimful) l.	Handle (iron) g.	Handle (plastic) g.	Decoration	Unit/layer (pallet)
Ergopac 3,2 l. ø193	192,5	157,5	115	3,5	18	5	Offset	24

Lid

Variant	Diameter mm.	Weight g.	Height (mounted) mm.	Stack height (mounted) mm.	Volume under lid l.
Ergopac ø193 E	198	31	158,5	147,5	3,2
Ergopac ø193 L	198	30	158,5	150,5	3,2
Ergopac ø193 M	198	35	169	161,5	3,5

Delivery packaging


Delivery packaging	Quantity	Del. height mm.
Integrated pallet (pail+lid)	576	1200
Pail on pallet (1200x800)	720	1200
Lid (E, M) in container on pallet (1200x800)	1632	730
Lid (L) in container on pallet (1200x800)	1632	645

Information

Ergopac is built around an ergonomic idea that optimizes the packaging material all the way from manufacturing to final usage. The key component in the Ergopac system is a pail provided with a sealed lid that is easy to open and re-close. The sealed lid assures that the content of the pail stays fresh and untouched. If the seal is broken it will leave a clear visible signage. Ergopac is available in volumes up to 32 liters fitted into modules designed for EU pallets.

emballator

Ergopac 4,7 l. ø223



Product information

Pail

Name	Diameter mm.	Height mm.	Weight g.	Volume (brimful) l.	Handle (iron) g.	Decoration	Unit/layer (pallet)
Ergopac 4,7 l. ø223	223	160	160	5,0	23	Offset	18

Lid

Variant	Diameter mm.	Weight g.	Height (mounted) mm.	Stack height (mounted) mm.	Volume under lid l.
Ergopac ø223 E	227,5	46	162	151	4,7
Ergopac ø223 L	227,5	39	161,5	152	4,7
Ergopac ø223 M	227,5	53	172	164,5	5,0

Delivery packaging


Delivery packaging	Quantity	Del. height mm.
Integrated pallet (pail+lid)	288	1200
Pail on pallet (1200x800)	396	1200
Lid (E, L, M) in container on pallet (1200x800)	1008	645

Information

Ergopac is built around an ergonomic idea that optimizes the packaging material all the way from manufacturing to final usage. The key component in the Ergopac system is a pail provided with a sealed lid that is easy to open and re-close. The sealed lid assures that the content of the pail stays fresh and untouched. If the seal is broken it will leave a clear visible signage. Ergopac is available in volumes up to 32 liters fitted into modules designed for EU pallets.

emballator

Ergopac 5,5 l. ø223



Product information

Pail

Name	Diameter mm.	Height mm.	Weight g.	Volume (brimful) l.	Handle (iron) g.	Decoration	Unit/layer (pallet)
Ergopac 5,5 l. ø223	223	192	165	5,9	23	Offset	18

Lid

Variant	Diameter mm.	Weight g.	Height (mounted) mm.	Stack height (mounted) mm.	Volume under lid l.
Ergopac ø223 E	227,5	46	194	183	5,5
Ergopac ø223 L	227,5	39	193,5	184	5,5
Ergopac ø223 M	227,5	53	204	196,5	5,9

Delivery packaging


Delivery packaging	Quantity	Del. height mm.
Integrated pallet (pail+lid)	288	1200
Pail on pallet (1200x800)	396	1200
Lid (E, L, M) in container on pallet (1200x800)	1008	645

Information

Ergopac is built around an ergonomic idea that optimizes the packaging material all the way from manufacturing to final usage. The key component in the Ergopac system is a pail provided with a sealed lid that is easy to open and re-close. The sealed lid assures that the content of the pail stays fresh and untouched. If the seal is broken it will leave a clear visible signage. Ergopac is available in volumes up to 32 liters fitted into modules designed for EU pallets.

emballator

Ergopac 11,0 l. ø297



Product information

Pail

Name	Diameter mm.	Height mm.	Weight g.	Volume (brimful) l.	Handle (iron) g.	Decoration	Unit/layer (pallet)
Ergopac 11,0 l. ø297	297	202	280	11,6	45	Offset	11

Lid

Variant	Diameter mm.	Weight g.	Height (mounted) mm.	Stack height (mounted) mm.	Volume under lid l.
Ergopac ø297 E	302	90	203	192	11,0
Ergopac ø297 L	302	91	204,5	193,5	11,0
Ergopac ø297 M	302	88	210	202,5	11,6

Delivery packaging


Delivery packaging	Quantity	Del. height mm.
Integrated pallet (pail+lid)	176	1200
Pail on pallet (1200x800)	231	1200
Lid (E, L, M) in container on pallet (1200x800)	594	730

Information

Ergopac is built around an ergonomic idea that optimizes the packaging material all the way from manufacturing to final usage. The key component in the Ergopac system is a pail provided with a sealed lid that is easy to open and re-close. The sealed lid assures that the content of the pail stays fresh and untouched. If the seal is broken it will leave a clear visible signage. Ergopac is available in volumes up to 32 liters fitted into modules designed for EU pallets.

emballator

Ergopac 11,6 l. ø297



Product information

Pail

Name	Diameter mm.	Height mm.	Weight g.	Volume (brimful) l.	Handle (iron) g.	Decoration	Unit/layer (pallet)
Ergopac 11,6 l. ø297	297	212	310	12,2	45	Offset	11

Lid

Variant	Diameter mm.	Weight g.	Height (mounted) mm.	Stack height (mounted) mm.	Volume under lid l.
Ergopac ø297 E	302	90	213	202	11,6
Ergopac ø297 L	302	91	214,5	203,5	11,6
Ergopac ø297 M	302	88	220	212,5	12,2

Delivery packaging


Delivery packaging	Quantity	Del. height mm.
Integrated pallet (pail+lid)	176	1200
Pail on pallet (1200x800)	231	1200
Lid (E, L, M) in container on pallet (1200x800)	594	730

Information

Ergopac is built around an ergonomic idea that optimizes the packaging material all the way from manufacturing to final usage. The key component in the Ergopac system is a pail provided with a sealed lid that is easy to open and re-close. The sealed lid assures that the content of the pail stays fresh and untouched. If the seal is broken it will leave a clear visible signage. Ergopac is available in volumes up to 32 liters fitted into modules designed for EU pallets.

emballator

Ergopac 12,0 l. ø297



Product information

Pail

Name	Diameter mm.	Height mm.	Weight g.	Volume (brimful) l.	Handle (iron) g.	Decoration	Unit/layer (pallet)
Ergopac 12,0 l. ø297	297	223	320	12,6	45	Offset	11

Lid

Variant	Diameter mm.	Weight g.	Height (mounted) mm.	Stack height (mounted) mm.	Volume under lid l.
Ergopac ø297 E	302	90	224	213	12,0
Ergopac ø297 L	302	91	225,5	214,5	12,0
Ergopac ø297 M	302	88	231	223,5	12,6

Delivery packaging


Delivery packaging	Quantity	Del. height mm.
Integrated pallet (pail+lid)	176	1200
Pail on pallet (1200x800)	231	1200
Lid (E, L, M) in container on pallet (1200x800)	594	730

Information

Ergopac is built around an ergonomic idea that optimizes the packaging material all the way from manufacturing to final usage. The key component in the Ergopac system is a pail provided with a sealed lid that is easy to open and re-close. The sealed lid assures that the content of the pail stays fresh and untouched. If the seal is broken it will leave a clear visible signage. Ergopac is available in volumes up to 32 liters fitted into modules designed for EU pallets.

emballator

Ergopac 14,1 l. ø297



Product information

Pail

Name	Diameter mm.	Height mm.	Weight g.	Volume (brimful) l.	Handle (iron) g.	Decoration	Unit/layer (pallet)
Ergopac 14,1 l. ø297	297	257	440	14,7	45	Offset	11

Lid

Variant	Diameter mm.	Weight g.	Height (mounted) mm.	Stack height (mounted) mm.	Volume under lid l.
Ergopac ø297 E	302	90	258	247	14,1
Ergopac ø297 L	302	91	259,5	248,5	14,1
Ergopac ø297 M	302	88	265	257,5	14,7

Delivery packaging


Delivery packaging	Quantity	Del. height mm.
Integrated pallet (pail+lid)	132	1200
Pail on pallet (1200x800)	165	1200
Lid (E, L, M) in container on pallet (1200x800)	594	730

Information

Ergopac is built around an ergonomic idea that optimizes the packaging material all the way from manufacturing to final usage. The key component in the Ergopac system is a pail provided with a sealed lid that is easy to open and re-close. The sealed lid assures that the content of the pail stays fresh and untouched. If the seal is broken it will leave a clear visible signage. Ergopac is available in volumes up to 32 liters fitted into modules designed for EU pallets.

emballator

Ergopac 16,0 l. ø297



Product information

Pail

Name	Diameter mm.	Height mm.	Weight g.	Volume (brimful) l.	Handle (iron) g.	Decoration	Unit/layer (pallet)
Ergopac 16,0 l. ø297	297	294	440	16,6	45	Offset	11

Lid

Variant	Diameter mm.	Weight g.	Height (mounted) mm.	Stack height (mounted) mm.	Volume under lid l.
Ergopac ø297 EK	302	102	295	284	16,0
Ergopac ø297 L	302	91	296,5	285,5	16,0
Ergopac ø297 M	302	88	302	294,5	16,6

Delivery packaging


Delivery packaging	Quantity	Del. height mm.
Integrated pallet (pail+lid)	132	1200
Pail on pallet (1200x800)	165	1200
Lid (EK, L, M) in container on pallet (1200x800)	594	730

Information

Ergopac is built around an ergonomic idea that optimizes the packaging material all the way from manufacturing to final usage. The key component in the Ergopac system is a pail provided with a sealed lid that is easy to open and re-close. The sealed lid assures that the content of the pail stays fresh and untouched. If the seal is broken it will leave a clear visible signage. Ergopac is available in volumes up to 32 liters fitted into modules designed for EU pallets.

emballator

Ergopac 21,1 l. ø297



Product information

Pail

Name	Diameter mm.	Height mm.	Weight g.	Volume (brimful) l.	Handle (iron) g.	Decoration	Unit/layer (pallet)
Ergopac 21,1 l. ø297	297	393	630	21,7	45	Offset	11

Lid

Variant	Diameter mm.	Weight g.	Height (mounted) mm.	Stack height (mounted) mm.	Volume under lid l.
Ergopac ø297 EK	302	102	394	383	21,1
Ergopac ø297 L	302	91	384,5	373,5	21,1
Ergopac ø297 M	302	88	401	393,5	21,7

Delivery packaging


Delivery packaging	Quantity	Del. height mm.
Integrated pallet (pail+lid)	110	1200
Pail on pallet (1200x800)	132	1200
Lid (EK, L, M) in container on pallet (1200x800)	594	730

Information

Ergopac is built around an ergonomic idea that optimizes the packaging material all the way from manufacturing to final usage. The key component in the Ergopac system is a pail provided with a sealed lid that is easy to open and re-close. The sealed lid assures that the content of the pail stays fresh and untouched. If the seal is broken it will leave a clear visible signage. Ergopac is available in volumes up to 32 liters fitted into modules designed for EU pallets.

emballator

Ergopac 32,0 l. ø378



Product information

Pail

Name	Diameter mm.	Height mm.	Weight g.	Volume (brimful) l.	Handle (iron) g.	Decoration	Unit/layer (pallet)
Ergopac 32,0 l. ø378	380	391	980	33,5	100	Offset	6

Lid

Variant	Diameter mm.	Weight g.	Height (mounted) mm.	Stack height (mounted) mm.	Volume under lid l.
Ergopac ø378 L	376	180	392	376	31,5

Delivery packaging

Delivery packaging	Quantity	Del. height mm.
Pail on pallet (1200x800)	120	1450
Lid on pallet (1200x800)	240	595

Information

Ergopac is built around an ergonomic idea that optimizes the packaging material all the way from manufacturing to final usage. The key component in the Ergopac system is a pail provided with a sealed lid that is easy to open and re-close. The sealed lid assures that the content of the pail stays fresh and untouched. If the seal is broken it will leave a clear visible signage. Ergopac is available in volumes up to 32 liters fitted into modules designed for EU pallets.

emballator