



2



3



Features

- 1 A part of the label attached to the body can be removed and attached to the cap.
- 2 Due to single labels, there is no danger of attaching the wrong label.
- 3 Incorrect medical solution is prevented through simple confirmation of the product name from above as well as from the side.
- 4 Due to the use of re-attachable adhesive, labels can be reattached to display history when subdividing and re-supplying shelf bottles.

Human error prevention label

Medication Error Prevention Label

For common plastic containers



IWATA LABEL CO., LTD.

Tokyo office	(Asakusabashi Sugiura Building 4F) 1-23-4 Yanagibashi, Daito Ward, Tokyo 111-0052 TEL (03)3862-9051 FAX (03)3862-9056
Osaka office	(Meiyu Building 5F) 1-22-22 Esaka-cho, Suita City, Osaka 564-0063 TEL (06)6339-4401 FAX (06)6339-4403
Nagoya office	5-15-18 Mitsui, Ichinomiya City, Aichi Prefecture 491-0827 TEL (0586)76-1612 FAX (0586)76-1724
Toyama office	(La Fontel Building 6F) 7-9 Uchisaiwai-cho, Toyama City, Toyama Prefecture 30-0093 TEL (076)442-1997 FAX (076)442-1980
Akita office	(Castle Oak A-5) 3-2-48-8 Katayama-cho, Odate City, Akita Prefecture 017-0872 TEL (0186)42-2608 FAX (0186)42-2608

<http://www.iwatalabel.com>