

Features

- 1 Light resistance is possible up to the visual light range using aluminum evaporation type shrink tack labels.
- 2 Attachment and shrinkage is simple due to adhesive tack labels.
- 3 Due to perforation, the cap can be easily opened simply by lifting, and confirmation of the content liquid is possible.
(Windowless types without removable labels are also available)



1 Usage method

2

Light resistant vial

Syringe label



IWATA LABEL CO., LTD.

Head office /
Nagoya office

5-15-18 Mitsui, Ichinomiya City, Aichi Prefecture 491-0827
TEL (0586)76-1612 FAX (0586)76-1724

Tokyo office

(Asakusabashi Sugiura Building 4F) 1-23-4 Yanagibashi, Daito Ward, Tokyo 111-0052
TEL (03)3862-9051 FAX (03)3862-9056

Osaka office

(Meiyu Building 5F) 1-22-22 Esaka-cho, Suita City, Osaka 564-0063
TEL (06)6339-4401 FAX (06)6339-4403

Toyama office

(La Fontel Building 6F) 7-9 Uchisaiwai-cho, Toyama City, Toyama Prefecture 30-0093
TEL (076)442-1997 FAX (076)442-1980

Akita office

(Castle Oak A-5) 3-2-48-8 Katayama-cho, Odate City, Akita Prefecture 017-0872
TEL (0186)42-2608 FAX (0186)42-2608

<http://www.iwatalabel.com>

