

Tube Specification Guide

Create the perfect tube with our advanced decoration capabilities and diverse size range



Tube Quotation Form

Please complete and submit the following form. Make sure to provide all relevant information in order to receive an accurate quotation. Refer to this guide for descriptions, measurements, capacities, and other specifics for our standard size tubes, including detailed instructions for tube measuring.

Contact name _____ Email _____

Company name _____

Address _____ Phone _____

Fax _____

Annual volume of tubes _____ Typical release size _____

Diameter of tube (please circle) 5/8" 3/4" 7/8" 1" 1-3/16" 1-3/8" 1-1/2" 2" 2-3/16" 2-3/8"

Length of tube _____

Tube type Laminate Extruded

Sleeve structure Monolayer Co-extrusion or barrier

Tube material

Low-density polyethylene (extruded only) High-density polyethylene Polypropylene (extruded only)

Medium-density polyethylene EVOH PCR

Sleeve color _____ Seal required Yes No

Head style _____ Head color _____

Orifice size (or blind) _____ Cap orientation Yes No

Cap style _____ Cap finish _____ Cap color _____

Decorating processes (please specify process and number of colors)

Extruded

Dry offset print (up to 8 colors) # of colors _____

Silk screen (up to 9 colors) # of colors _____

Foil # of colors _____

Label Application

Laminate

Flexo (up to 12 colors) # of colors _____

Silk screen (up to 3 colors) # of colors _____

Foil (up to 2 foils) # of colors _____

Embossing/Debossing

Digimarc

Tactile print

360° Deco

Finish Gloss Matte Soft Touch



Sustainable Solutions

Part of the BCircular Range

 Improved Recyclability  Reduced Carbon Footprint*

 Recycled Plastic  Renewable

- Mono-material solutions designed for recyclability
- Mechanically and advanced recycled material solutions available
- Inherently light weight packing solution enhanced with low-profile closures
- Bio-based laminate tubes made from sugarcane



Vertical Integration Advantage

A single source for tubes, closures, and graphic design for a beautifully finished tube that is easy to buy

- A dedicated support team for product launch and high-quality ongoing service
- Fast development for increased speed to market



Specialty Heads, Caps, and Seals

We offer a wide variety of closures, including stock production, proprietary, and select vendor-supplied specialty caps.

We are also equipped to apply seals over the tube orifice on many head styles. These seals are perfect for e-commerce and have tabs, which allow for easy removal.



Decorating Services

Our full-service team of experts includes a unique blend of creative and production specialists that can coordinate your packaging from concept to print.

Capabilities and Expertise

- Vertically integrated service supports harmonized timing with production scheduling
- Experts in packaging print technologies, including printing on more sustainable tubes
- Creative design services with skilled artists specially trained for production with your brand
- Ability to create new, on-brand designs for your packaging
- Decoration protected by varnish to maximize durability



360° Deco



Digimarc



Tactile Varnish



Soft Touch



Photochromic Ink



Holographic




Embossing



Cold Foil



Scan the code to view our video



LENGTH (INCHES)




DIVINITY CAP

2³/₈"

DIAMETER
60 mm

FLUID OUNCE CAPACITY



DIVINITY CAP

2³/₁₆"

DIAMETER
56 mm

MIN.					
4 ³ / ₈ "	221.80 ml	7 ¹ / ₂ fl oz	4 ³ / ₈ "	162.66 ml	5 ¹ / ₂ fl oz
4 ⁵ / ₈ "	236.59 ml	8 fl oz	4 ⁵ / ₈ "	177.44 ml	6 fl oz
4 ⁷ / ₈ "	251.38 ml	8 ¹ / ₂ fl oz	4 ⁷ / ₈ "	192.33 ml	6 ¹ / ₂ fl oz
5 ¹ / ₈ "	266.16 ml	9 fl oz	5 ¹ / ₈ "	207.02 ml	7 fl oz
5 ³ / ₈ "	280.95 ml	9 ¹ / ₂ fl oz	5 ³ / ₈ "	221.80 ml	7 ¹ / ₂ fl oz
5 ⁵ / ₈ "	295.74 ml	10 fl oz	5 ⁵ / ₈ "	236.59 ml	8 fl oz
5 ⁷ / ₈ "	310.52 ml	10 ¹ / ₂ fl oz	5 ⁷ / ₈ "	251.38 ml	8 ¹ / ₂ fl oz
6"	325.31 ml	11 fl oz	6 ¹ / ₈ "	266.16 ml	9 fl oz
6 ¹ / ₈ "	340.10 ml	11 ¹ / ₂ fl oz	6 ³ / ₈ "	280.95 ml	9 ¹ / ₂ fl oz
6 ³ / ₈ "	354.88 ml	12 fl oz	6 ⁵ / ₈ "	295.74 ml	10 fl oz
6 ⁵ / ₈ "	369.67 ml	12 ¹ / ₂ fl oz	6 ⁷ / ₈ "	310.52 ml	10 ¹ / ₂ fl oz
6 ⁷ / ₈ "	384.45 ml	13 fl oz	7 ¹ / ₈ "	325.31 ml	11 fl oz
7"	399.24 ml	13 ¹ / ₂ fl oz	7 ³ / ₈ "	340.10 ml	11 ¹ / ₂ fl oz
7 ¹ / ₈ "	414.03 ml	14 fl oz	7 ⁵ / ₈ "	354.88 ml	12 fl oz
7 ³ / ₈ "	428.82 ml	14 ¹ / ₂ fl oz	7 ⁷ / ₈ "	369.67 ml	12 ¹ / ₂ fl oz
7 ⁵ / ₈ "	443.60 ml	15 fl oz	8 ¹ / ₈ "	384.45 ml	13 fl oz
7 ⁷ / ₈ "			8 ³ / ₈ "	399.24 ml	13 ¹ / ₂ fl oz
8"			MAX.		



Top View

OVAL SNAP TOP CAP

2¹¹/₈"*

DIAMETER
43 Degree
Oval Sleeve




MIN. 4"	118.29 ml	4 fl oz
4 ³ / ₈ "	133.08 ml	4 ¹ / ₂ fl oz
4 ³ / ₄ "	147.87 ml	5 fl oz
5 ¹ / ₁₆ "	162.66 ml	5 ¹ / ₂ fl oz
5 ⁷ / ₁₆ "	177.44 ml	6 fl oz
5 ³ / ₄ "	192.23 ml	6 ¹ / ₂ fl oz
6 ¹ / ₈ "	207.02 ml	7 fl oz
6 ⁷ / ₁₆ "	221.80 ml	7 ¹ / ₂ fl oz
6 ³ / ₄ "	236.59 ml	8 fl oz
7 ¹ / ₈ "	251.38 ml	8 ¹ / ₂ fl oz
7 ¹ / ₂ "	266.16 ml	9 fl oz
7 ¹³ / ₁₆ "	280.95 ml	9 ¹ / ₂ fl oz
8 ¹ / ₈ "	295.74 ml	10 fl oz
8 ¹ / ₂ " MAX.	310.52 ml	10 ¹ / ₂ fl oz

DIVINITY CAP

2"

DIAMETER
49 mm


MIN. 4"	118.29 ml	4 fl oz
4 ³ / ₈ "	133.08 ml	4 ¹ / ₂ fl oz
4 ³ / ₄ "	147.87 ml	5 fl oz
5 ¹ / ₁₆ "	162.66 ml	5 ¹ / ₂ fl oz
5 ⁷ / ₁₆ "	177.44 ml	6 fl oz
5 ³ / ₄ "	192.23 ml	6 ¹ / ₂ fl oz
6 ¹ / ₈ "	207.02 ml	7 fl oz
6 ⁷ / ₁₆ "	221.80 ml	7 ¹ / ₂ fl oz
6 ³ / ₄ "	236.59 ml	8 fl oz
7 ¹ / ₈ "	251.38 ml	8 ¹ / ₂ fl oz
7 ¹ / ₂ "	266.16 ml	9 fl oz
7 ¹³ / ₁₆ "	280.95 ml	9 ¹ / ₂ fl oz
8 ¹ / ₈ "	295.74 ml	10 fl oz
8 ¹ / ₂ " MAX.	310.52 ml	10 ¹ / ₂ fl oz



Blue tube diagrams denote they are available as a laminate or an extruded product.

Laminate tube lengths are available in 1/8" increments only. For laminate, the shortest length is 2 3/4" and longest is 8 1/2".

*2" oval tube utilizes a 2" (49mm) sleeve which is formed to an oval.



Suggested tube lengths do not take into account any amount trimmed off the tube during filling.

Measurements within this guide are for reference only. Actual tube sizing and fill weight determination is recommended.

Contact your sales representative for assistance.