

VISQUEEN POLYCROP

Proven Protection for Wrapped Bales



Dependable Wrapping

Developed for use on today's complex bale wrapping machinery, Visqueen Polycrop film provides a consistently reliable wrapping experience resulting in the production of securely wrapped, well shaped and better protected bales.

Suitable for tough, stubby crops

Visqueen Polycrop stretchfilm has the strength and durability required to cope with tough crops like maize and sugar beet pulp, as well as traditional grass crops. Visqueen Polycrop's excellent puncture resistance ensures it handles well during wrapping, transport and storage.


A smooth wrapping process – day and night

An expert blend of the latest adhesive additives results in a high quality stretch film with an excellent seal that also significantly reduces residue on the machinery pre-stretch rollers. Visqueen Polycrop has been designed to ensure consistently good wrapping 24 hours a day: at noon in temperatures of 30°C or in the cool of the night



VISQUEEN POLYCROP


Visqueen Polycrop is produced on modern co-extrusion blown film lines. By combining multiple separate layers of polythene into one high-strength film, this offers farmers and contractors a quality balewrap with a high oxygen barrier and excellent puncture resistance.



Superior oxygen barrier



Enhanced puncture and tear resistance



Ideal for day and night time wrapping



UV protected for all climates



Fully recyclable



Technical Specification

Width (mm)	Thickness (µm)	Length (m)	Pallet Dimensions (cm)	Reels per pallet (pcs)	Pallet Height (m)
250*	25	1800	108 x 108	64	± 1.28
360*	25	1500	100 x 125	80	± 1.65
500	25	1800	108 x 108	48	± 1.65
750	25	1500	100 x 125	40	± 1.65

Polycrop is available in White, Black and Green. *Only available in green

a brand of **Berry**

